



ICOM Land Mobile Portable VHF Radios

- **T**o get the big picture, click on the mini-image button for the model you are interested in.
- **P**lease select a radio from the table of contents below to quick-scroll to its section:

[\[IC-F3\]](#) [\[IC-F3S\]](#) [\[IC-F30LT\]](#) [\[IC-F30\]](#)

IC-F3

PC Programmable VHF Transceiver

True multi-purpose flexibility. Use for simple 2-way or for advanced signalling & interconnect



- Dimensions: 2.25 (W), 5.5 (H), 2 (D) inches, 13.8 oz
- **PC Programmable**
- 12.5 or 25 kHz versions
- 5 W output power (1 W selectable), programmable by channel and/or selectable from programmable keys
- 136 - 150 MHz or 146 - 174 MHz
- 32 channel flexibility:
 - 32 channels, all in 1 bank
 - *or* 16 channels in each of 2 banks



- *or* 8 channels in each of 4 banks
- *or or* 2 banks with 20 and 12 channels
- Scan priority channel reassign from front panel
- 3 different scan modes
- 7 character alphanumeric display
- 8 hours operating time (5:5:90)
- 1050 mAh Ni-Cd battery standard
- **10 programmable keys for complex systems, or disable the keypad for more simplicity**
- CTCSS, DTCS and DTMF standard
- 2-tone decoder (optional)
- Send/receive 5 tone (optional)
- **MIL SPEC C/D/E for shock/vibration**
- Alkaline battery case (optional)
- Rugged die-cast aluminum chassis, polycarbonate case
- Available with SmarTrunk II trunking
- Optional dual rate rapid charger (BP-119)
- **Very competitive price. Compare!**

[More](#) detailed IC-F3 specifications and options.

IC-F3S **New!**

PC Programmable VHF Transceiver

Same as IC-F3, but without a keypad. Extra easy to use!



- Dimensions: 2.25 (W), 5.5 (H), 2 (D) inches, 13.8 oz
- **PC Programmable**
- 12.5 or 25 kHz versions
- 5 W output power (1 W selectable), programmable by channel and/or selectable from programmable keys
- 136-150 MHz or 146-174 MHz
- 32 channel flexibility:
 - 32 channels, all in 1 bank
 - *or* 16 channels in each of 2 banks
 - *or* 8 channels in each of 4 banks
 - *or or* 2 banks with 20 and 12 channels
- Scan priority channel reassign from front panel



- 3 different scan modes
- 7 character alphanumeric display
- 8 hours operating time (5:5:90)
- 1050 mAh Ni-Cd battery standard
- CTCSS, DTCS and DTMF standard
- 2-tone decoder (optional)
- Send/receive 5 tone (optional)
- **MIL SPEC C/D/E for shock/vibration**
- Alkaline battery case (optional)
- Optional dual rate rapid charger (BP-119)
- Rugged die-cast aluminum chassis, polycarbonate case
- Available with SmarTrunk II trunking
- **Very competitive price. Compare!**

[More](#) detailed IC-F3S specifications and options.

IC-F30LT

PC Programmable VHF Transceiver

12.5/25 kHz all in one radio, PC programmable by channel



- Dimensions: 2.4 (W), 5.5 (H), 1.7 (D) inches, 1.1 lb
- 3 dealer-programmable output powers: 5, 2, 1 watt
- 500 mW audio output
- 136-150 MHz or 146-174 MHz
- 99 channels or 16 channels x 6 "banks"
- 1400 mAh Ni-Cd battery standard
- 8 character alphanumeric display
- Programmable emergency function
- CTCSS and DTCS signaling are standard
- Up to 7 dealer-programmable switches and keys
- Rugged die-cast aluminum chassis, polycarbonate case
- Intrinsically safe
- **MIL SPEC C/D/E**
- Available with Transcrypt scrambling

Inclusion of Transcript scrambling invalidates Intrinsically Safe (FM approved) rating

- Available with SmarTrunk II trunking
- Optional dual rate rapid charger (BP-119)

[More](#) detailed IC-F30LT specifications and options.

[Radio Review](#)

IC-F30

PC Programmable VHF Transceiver

Simple version of IC-F30LT.

12.5/25 kHz all in one radio, PC programmable by channel



- Nearly all of the same features of the IC-F30LT (above), but no display. Keypad optional.
- Up to 16 PC programmable channels
- Even lower price than the IC-F30LT
- Intrinsically safe
- **MIL SPEC C/D/E**
- Available with Transcript scrambling
Inclusion of Transcript scrambling invalidates Intrinsically Safe (FM approved) rating
- Available with SmarTrunk II trunking
- Optional dual rate rapid charger (BP-119)

[More](#) detailed IC-F30 specifications and options.

[Radio Review](#)

[[ICOM Homepage](#)] [[Dealers](#)] [[New Radios](#)] [[Calendar](#)] [[Specials](#)] [[Get In Touch With ICOM](#)]

©1997-1999 ICOM America, Inc. The ICOM logo is a registered trademark of ICOM, Inc. All specifications are subject to change without notice or obligation. All ICOM radios significantly exceed FCC regulations limiting spurious emissions. Transcript is a registered trademark of Transcript International. SmarTrunk is a trademark of SmarTrunk Systems, Inc.